

FICHE TECHNIQUE AB SAFETY

PROTECTION DES MAINS/PROTECTION MÉCANIQUE



GANT TEGERA 909

Numéro de produit: 1041338

UNSPSC: 46181504

Marque: TEGERA

Tailles gants	
6	12 / 12 1041338001
7	12 / 12 1041338002
8	12 / 12 1041338003
9	1 / 1 1041338004
10	1 / 1 1041338005
11	1 / 1 1041338006

X / X = Achat minimal / Incrément

DESCRIPTION

Cut resistant glove, PU, Palm-dipped, Dyneema® Diamond Technology, Lycra®, Nylon, 18 gg, Smooth finish, Cut resistance level 3, Cat. II, Grey, Oil and grease resistant palm, for precision work. EN 388:2003, 3332 EN 388:2016, 3X42B

CARACTÉRISTIQUES INFORMATIVES

Enduction: PU

Type de gant: Gant de travail

Caractéristiques: Enduction paume/doigts, Tricot manchette

Categorie EPI: II

Matière: Dyneema®, Nylon

Marque: TEGERA

NORMES

- EN 388:
 - Abrasion: 3
 - Coupure: X

- Déchirure: 4
- Perforation: 2
- TDM: B

AB Safety

Blauwesteenstraat 87

B-2550 Kontich - Belgium

Tel: 00 32 3 820 79 79

Fax: 00 32 3 828 53 68

www.ab-safety.eu

info@ab-safety.eu